

Measuring


Measure accurately for a perfect fit

Follow these simple steps to measure your windows correctly. Accurate measurements ensure your shades fit securely, look clean, and operate smoothly once installed.

When taking measurements please make sure to measure to the nearest 1/8 of an inch.

Always record your measurements in the width by height format (W x H).

If you're measuring more than one window frame, measure each frame individually. Never assume they're the same size, even if they look alike.



Tools you will need:

Steel Tape Measure:




Pencil or Pen:



This Worksheet:




Inside Mount



Inside mount is when the Shade is mounted inside of the frame.

Measure the exact width and height of your window frame opening. The shade will fit inside the window frame.



Cassette Depth:

Make sure to allow at least 2 1/4" in Depth for the Cassette. All Cassette depth dimensions are listed at the bottom of every Product Page.


Always measure to the nearest 1/8":

If a size falls on a 1/16" mark, round down to the nearest 1/8" mark for width and round up to the nearest 1/8" mark for height.

Important Note on Light Gap/Light Control:

All inside-mounted shades require a small clearance gap on each side to accommodate the operating mechanisms. This means a "halo" of light will be visible around the edges. If your goal is to minimize light gaps, we recommend choosing an Outside Mount Installation.


Width



Measure the width at the top, middle, and bottom of the window opening. Always measure to the nearest 1/8". If a size falls on a 1/16" mark, round down to the nearest 1/8" mark for width.

Use the smallest width.


Height



Measure the height at the left, center, and right of the window opening. Always measure to the nearest 1/8". If a size falls on a 1/16" mark, round up to the nearest 1/8" mark for height.


Use the tallest height.

Outside Mount



Outside mount is when the Shade is mounted over the frame. Your blind or shade will cover your frame.

The shade will be mounted on the wall, above the window and frame.




Cassette Height:

Make sure to account for the Cassette height. All Cassette height dimensions are listed at the bottom of each Product Page.

The following illustration shows the **Cassette** mounted to the moulding. If you **choose** to install the cassette on **top** of the moulding then you will need to measure for the entire moulding trim **plus** the height of the cassette. **Also**, take in to consideration if you are going to cover the window sill if you have one.

Always measure to the nearest 1/8":

If a size falls on a 1/16" mark, round down to the nearest 1/8" mark for width and round up to the nearest 1/8" mark for height.



Width & Height

Measure the area you want to cover. The shade will be mounted on the wall, above the window and frame. The Cassette height needs to be included. Make sure to check the Cassette height dimensions.

Worksheet

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	

RM NAME:	
Window:	
Mount:	Inside / Outside Mount
Width:	
Height:	